Toxicology Letters, 44 (1988) 343–345
Elsevier

AUTHOR INDEX VOL. 44 (1988)

Adhvaryu, S.G., see Vyas, R.C., 153
Algeri, S., see Perego, C., 331
Alldrick, A.J. and Rowland, I.R.
Distribution of radiolabelled [2-^{14}C]IQ and MeIQx in the mouse, 183
Ambrosio, S., Belsa, R., Mintenig, G.M., Palacio-Araus, L., Mahy, N. and Gual, A.
Acute effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on catecholamines in heart, adrenal gland, retina and caudate nucleus of the cat, 1
Arillo, A. and Melodia, F.
Effects of hexavalent chromium on trout mitochondria, 71
Atkins, L.M., see Gale, G.R., 77

Babalola, G.O., see Shapiro, B.H., 315
Belsa, R., see Ambrosio, S., 1
Beydon, D., see Payan, J.P., 121
Birnbaum, L.S., see Bond, J.A., 143
Bitar, M.S., see Shapiro, B.H., 315
Bolon, B. and St. Omer, V.E.V.
Brain monoamine levels in suckling mice following postnatal exposure to secalonic acid D via the dam's milk, 263
Bond, J.A., Martin, O.S., Birnbaum, L.S., Dahl, A.R., Melnick, R.L. and Henderson, R.F.
Metabolism of 1,3-butadiene by lung and liver microsomes of rats and mice repeatedly exposed by inhalation to 1,3-butadiene, 143
Bonnet, P., see Gagnaire, F., 273
Bourcier, D.R., see Mitra, A., 39
Bourn, W.M., see Mitra, A., 39
Bridges, J.W., see Salminen, S., 113
Burcham, P.C. and Harman, A.W.
Effect of acetaminophen hepatotoxicity on hepatic mitochondrial and microsomal calcium contents in mice, 91

Cambon-Cros, C., see Fernandez, Y., 31
Carlson, G.P., see Chadwick, R.W., 201
Chadwick, R.W., Copeland, M.F., Carlson, G.P., Trela, B.A. and Most, B.M.
Comparison of in vivo and in vitro methods for assessing the effects of repeated dosing with carbon tetrachloride on the hepatic drug-metabolizing enzyme system, 201
Citti, L., see Longon, V., 289
Copeland, M.F., see Chadwick, R.W., 201
Crooks, P.A., see Houdi, A.A., 161

Dahl, A.R., see Bond, J.A., 143
Darad, R., see De, A.K., 47
Das, R.K., see Roy, B., 7
De, A.K. and Darad, R.
Physiological antioxidants and antioxidative enzymes in vitamin E-deficient rats, 47
De Ceaurriz, J., see Gagnaire, F., 273
De Ceaurriz, J., see Payan, J.P., 121
De Simoni, M.G., see Perego, C., 331
Deltour, P., see Fernandez, Y., 31
Deshmukh, P.B., see Pillai, K.S., 21
Diomede, L., see Perego, C., 331
Dutta, S., Müller, A., Ishikawa, T., Zimmer, M. and Sies, H.
Alkane production by isolated rat heart and lung, 55

Fernandez, Y., Cambon-Cros, C., Deltour, P. and Mitjavila, S.
Activity of liver microsomal Ca^{2+}-ATPase in relation to perturbation of membrane hydrophobic interactions induced by methoxybenzene derivatives and *n*-aliphatic alcohols, 31
Ferrari, E., see Payan, J.P., 121
Fodritto, F., see Perego, C., 331

Gagnaire, F., Micillino, J.C., Bonnet, P., Simon, P. and De Ceaurriz, J.
Toluene diisocyanate-induced airway hyperresponsiveness to intravenous acetylcholine: a study on single and repeated exposure in guinea-pigs, 273
Gale, G.R., Atkins, L.M., Smith, A.B., Jones, S.G. and Jones, M.M.
Dithiocarbamate treatment of chronic cadmium intoxication in mice, 77
Garattini, S., see Perego, C., 331
Gérin, M., Viau, C., Talbot, D. and Greselin, E.
Aviation gasoline: comparative subchronic

nephrotoxicity study in the male rat, 13
Gervasi, P.G., see Longon, V., 289
Giri, A.K., Mukherjee, A., Talukder, G. and Sharma, A.
In vivo cytogenetic studies on mice exposed to Orange G, a food colourant, 253
Godin, C.S., see Houdi, A.A., 161
Graham, J.A., see Miller, F.J., 231
Greselin, E., see Gérin, M., 13
Gual, A., see Ambrosio, S., 1

Harman, A.W., see Burcham, P.C., 91
Hartman, A.D., see Nakamoto, T., 167
Hedelin, U., see Sjöberg, P., 299
Henderson, R.F., see Bond, J.A., 143
Hirst, S.A., see Shapiro, B.H., 315
Hoshino, T., see Kaji, T., 219
Houdi, A.A., Godin, C.S. and Crooks, P.A.
Effect of continuous administration of nicotine on urinary histamine and *N*$^{\tau}$-methylhistamine levels in the guinea pig, 161

Ikonen, R., Kangas, J. and Savolainen, H.
Urinary atrazine metabolites as indicators for rat and human exposure to atrazine, 109
Ishikawa, T., see Dutta, S., 55

Jones, M.M., see Gale, G.R., 77
Jones, S.G., see Gale, G.R., 77
Joseph, Jr., F., see Nakamoto, T., 167

Kaji, T., Takata, M., Hoshino, T., Miyahara, T., Kozuka, H., Kurashige, Y. and Koizumi, F.
Role of zinc in protection against cadmium-induced toxicity in formation of embryonic chick bone in tissue culture, 219
Kangas, J., see Ikonen, R., 109
Kato, M. and Onodera, T.
Effect of ofloxacin on the uptake of [^{3}H]thymidine by articular cartilage cells in the rat, 131
Kiran, R. and Varma, M.N.
Biochemical studies on endosulfan toxicity in different age groups of rats, 247
Koizumi, F., see Kaji, T., 219
Kozuka, H., see Kaji, T., 219
Kronevi, T., see Sjöberg, P., 299
Kurashige, Y., see Kaji, T., 219

Lewerenz, H.-J., Plass, R. and Macholz, R.
Effect of allyl isothiocyanate on hepatic monooxygenases and serum transferases in rats, 65
Lindquist, N.G., see Sjöberg, P., 299
Longon, V., Citti, L. and Gervasi, P.G.
Biotransformation enzymes in nasal mucosa and liver of Sprague-Dawley rats, 289
Lydén-Sokolowski, A., see Sjöberg, P., 299

Macholz, R., see Lewerenz, H.-J., 65
Magnusson, G., see Sjöberg, P., 299
Mahy, N., see Ambrosio, S., 1
Mailly, P., see Pellet-Gondret, M.-H., 101
Marks, V., see Salminen, S., 113
Martin, O.S., see Bond, J.A., 143
Mathai, A.T., see Pillai, K.S., 21
Medina, D., see Morrison, D.G., 307
Melnick, R.L., see Bond, J.A., 143
Melodia, F., see Arillo, A., 71
Micillino, J.C., see Gagnaire, F., 273
Miller, F.J. and Graham, J.A.
Research needs and advances in inhalation dosimetry identified through the use of mathematical dosimetry models of ozone, 231
Mintenig, G.M., see Ambrosio, S., 1
Mitjavila, S., see Fernandez, Y., 31
Mitra, A., Ravikumar, V.C., Bourn, W.M. and Bourcier, D.R.
Influence of ascorbic acid esters on acetaminophen-induced hepatotoxicity in mice, 39
Miyahara, T., see Kaji, T., 219
Montin, G., see Sjöberg, P., 299
Morita, S., see Yamano, T., 177
Morrison, D.G. and Medina, D.
Distinguishing features of cytotoxic and pharmacological effects of selenite in murine mammary epithelial cells in vitro, 307
Most, B.M., see Chadwick, R.W., 201
Mukherjee, A., see Giri, A.K., 253
Müller, A., see Dutta, S., 55

Nakamoto, T., Joseph, Jr., F., Yazdani, M. and Hartman, A.D.
Effects of different levels of caffeine supplemented to the maternal diet on the brains of newborn rats and their dams, 167
Noda, T., see Yamano, T., 177

Ogilvie, L.M. and Ramsden, D.B.
Ioxynil and 3,5,3′-triiodothyronine: comparison of binding to human plasma proteins, 281
Ohmori, M., see Yamano, T., 177
Olofsson, I.-M., see Sjöberg, P., 299
Onodera, T., see Kato, M., 131

Palacio-Araus, L., see Ambrosio, S., 1
Payan, J.P., Beydon, D., Ferrari, E. and De Ceaurriz, J.
A sensitive cadmium-affinity assay for the determination of thionein in urine, 121
Pellet-Gondret, M.-H. and Mailly, P.
Selective activation of striatal output nuclei by organophosphorous intoxication in the rat: EEG and 2-deoxy[^{3}H]glucose metabolic mapping, 101
Pemberton, M.A. and Rhodes, C.
Skin irritancy of commerially available alkyl ether sulphate surfactants: is there a difference between those with alkyl chains consisting of even or odd numbers of carbon atoms?, 85
Perego, C., De Simoni, M.G., Fodritto, F., Raimondi, L., Diomede, L., Salmona, M., Algeri, S. and Garattini, S.
Aspartame and the rat brain monoaminergic system, 331
Pestka, J.J., see Tai, J.H., 191
Pillai, K.S., Mathai, A.T. and Deshmukh, P.B.
Effect of subacute dosage of fluoride on male mice, 21
Plass, R., see Lewerenz, H.-J., 65

Raimondi, L., see Perego, C., 331
Ramsden, D.B., see Ogilvie, L.M., 281
Rao, K.P., see Shaheen, S., 215
Rao, M.S., see Shaheen, S., 215
Ravikumar, V.C., see Mitra, A., 39
Rhodes, C., see Pemberton, M.A., 85
Rowland, I.R., see Alldrick, A.J., 183
Roy, B. and Das, R.K.
Genotoxic potential of diethylcarbamazine and antifilarial drug, 7

Salminen, E., see Salminen, S., 113
Salminen, S., Salminen, E., Bridges, J.W. and Marks, V.
Intestinal absorption of oxalate by xylitol-treated rats and mice, 113
Salmona, M., see Perego, C., 331
Savolainen, H., see Ikonen, R., 109
Shah, V.C., see Vyas, R.C., 153
Shaheen, S., Rao, K.P. and Rao, M.S.
Effect of nitroxazepine on bone marrow cells of mice, 215
Shapiro, B.H., Hirst, S.A., Babalola, G.O. and Bitar, M.S.
Prospective study on the sexual development of male and female rats perinatally exposed to maternally administered cimetidine, 315
Sharma, A., see Giri, A.K., 253
Shimizu, M., see Yamano, T., 177
Sies, H., see Dutta, S., 55
Simon, P., see Gagnaire, F., 273
Sjöberg, P., Hedelin, U., Kronevi, T., Lydén-Sokolowski, A., Magnusson, G., Montin, G., Olofsson, I.-M. and Lindquist, N.G.
Pigmentation of kidneys and lymph nodes of mesocolon in rats fed diets containing the laxative danthron, 299
Smith, A.B., see Gale, G.R., 77
St. Omer, V.E.V., see Bolon, B., 263

Tai, J.H. and Pestka, J.J.
Synergistic interaction between the trichothecene T-2 toxin and *Salmonella typhimurium* lipopolysaccharide in C3H/HeN and C3H/HeJ mice, 191
Takata, M., see Kaji, T., 219
Talbot, D., see Gérin, M., 13
Talukder, G., see Giri, A.K., 253
Trela, B.A., see Chadwick, R.W., 201
Tsujimoto, Y., see Yamano, T., 177

Varma, M.N., see Kiran, R., 247
Viau, C., see Gérin, M., 13
Vyas, R.C., Adhvaryu, S.G. and Shah, V.C.
Genotoxic effects of MeCCNU on human peripheral blood lymphocytes, 153

Yamada, A., see Yamano, T., 177
Yamano, T., Tsujimoto, Y., Noda, T., Shimizu, M., Ohmori, M., Morita, S. and Yamada, A.
Hepatotoxicity of gardenia yellow color in rats, 177
Yazdani, M., see Nakamoto, T., 167

Zimmer, M., see Dutta, S., 55

Toxicology Letters, 44 (1988) 347–348
Elsevier

SUBJECT INDEX VOL. 44 (1988)

Acetaminophen, 91
Acetylcholine, 273
Acetylcholinesterase, 101
Airway hyperresponsiveness, 273
Albumin, 281
n-Aliphatic alcohol, 31
Allyl isothiocyanate, 65
Antidepressant drug, 215
Antineoplastic agent, 153
Antioxidant, 47
Antipyresis, 39
Articular cartilage, 131
Aspartame, 331
Atrazine, 109
Automobile unleaded gasoline, 13
Aviation gasoline, 13

Biological monitoring, 109
Blood cell, 21
Blood level, 39
Bone formation, 219
Brain amino acids, 331
Brain growth, 167
Butadiene, 143

Ca^{2+}-ATPase, 31
Cadmium, 77, 219
Cadmium affinity assay, 121
Caffeine, 167
Calcium, 91
Calculi, 113
Carbon tetrachloride, 201
Cat, 1
Catecholamine, 1
Chemoprevention, 307
Cholesterol, 167
Chromium(VI), 71
Chromosome aberration, 7, 153, 253
Cimetidine teratogenicity, 315
Cumene hydroperoxide, 55
Cytotoxic agent, 307

Danthron, 299
Dealkylated *s*-triazine, 109
2-Deoxyglucose mapping, 101
Dietary oxalic acid, 113
Diethylcarbamazine, 7
Diethyldithiocarbamate analogs, 77
1,8-Dihydroxyanthraquinone, 299
Dimethylselenide, 307
DNA, 167
Dopaminergic system, 331
Dosimetry, 231
Drug metabolizing enzyme, 289

EEG, 101
Electron-spin resonance, 31
Embryonic chick bone, 219
Endosulfan, 247
Endotoxin, 191
Enzyme induction, 289
Estrous cyclicity, 315
Ethane, 55
Excretion, 7

Fluoride, 21
Fluoride accumulation, 21

Gardenia fruit, 177
Geniposide, 177
Glutathione, 39
Guinea pig, 273

Hepatic microsome, 31
Hepatotoxicity, 91, 177
Heterocyclic amines, 183
γ-Hexachlorocyclohexane, 201

Immunotoxicity, 191
Inhalation, 143
Irritation, 85
Isolated perfused rat heart, 55
Isolated perfused rat lung, 55

Kidneys, 77

Lindane, 201
Lipoperoxidation, 47
Lipopolysaccharide, 191
Liver, 143, 201, 289
Liver monooxygenase, 65
Long-term continuous exposure, 161
Lung, 143
Lymph node, 299

Man, 121
Membrane order, 31
Metabolism, 143
Methoxybenzene derivative, 31
N^{τ}-Methylhistamine levels, 161
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP), 1
Micronucleus test, 7, 215
Mitochondria, 71, 91
Model substrate assay, 201
Modeling, 231
Monoamine transmitters, 263
Mouse, 21, 77, 113, 183, 215, 253
Mutagenesis, 215
Mycotoxin, 191

Nasal mucosa, 289
Nasal tissue, 143
Nephrotoxicity, 13
Neurotoxicity, 1
Nicotine, 161
Nitrile herbicide, 281

Occupational exposure, 109
Ofloxacin, 131
Orange G, 253
Orchiectomy, 315
Organ distribution, 183
Ossification, 219
Ozone, 231

Paraoxon, 101
Pentane, 55
Phase I reactions, 201
Phase II reactions, 201
Phenylalanine, 331
Pigmentation, 299
Plasma amino acids, 331
Postnatal exposure, 263
Prealbumin, 281
Prenatal exposure, 263
Protein, 167
Pubertal onset, 315
Pulmonary, 231

Rat, 31, 65, 101, 113, 121, 131, 177, 247, 289, 315
Respiratory tract, 143, 231

Secalonic acid D, 263
Selenite, 307
Selenoproteins, 307
Serotonergic system, 331
Serum androgens, 315
Serum chemistry, 21
Serum creatinine, 77
Serum transferase, 65
Sister chromatid exchange, 153, 253
Skin, 85
Soft tissue, 21
Surfactants, 85

Testosterone replacement, 315
Thionein, 121
[^{3}H]Thymidine uptake, 131
Thyroid hormone, 281
Thyroxine-binding globulin (TBG), 281
Tissue culture, 219
Toluene diisocyanate, 273
Toxicity, 131
Toxicity studies, 247
Transthyretrin, 281
Trend test, 253
2,2,4-Trimethylpentane, 13
Trout, 71
Tumor promotion, 299

Urinary analysis, 121
Urinary histamine, 161
Urinary metabolite(s), 109, 201
Urinary oxalate, 113

Vitamin E deficiency, 47
Volatile selenides, 307

Xylitol, 113

Zinc, 167, 219